

# MISSOURI MONTHLY TUBERCULOSIS DISEASE REPORT

## Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-13 2006 versus 2007

Geographic Area	Number of Counted Cases: 2006	Number of Counted Cases: 2007	Difference in Number of Counted Cases: 2006 to 2007	Percent of 2007 Cases that were Preventable
St. Louis City	2	2	0	100%
St. Louis County	3	5	2	20%
Kansas City	1	6	5	67%
Springfield/Greene	3	1	-2	0%
<hr style="border-top: 1px dashed black;"/>				
<u>Region(excluding metropolitan areas)</u>				
<i>Northwestern</i>	2	3	1	100%
<i>Central</i>	1	0	-1	0%
<i>Southeastern</i>	0	3	3	67%
<i>Southwestern</i>	2	5	3	80%
<i>Eastern</i>	1	1	0	0%
<hr style="border-top: 1px dashed black;"/>				
Institutionalized Patients*	0	0	0	0%
<hr style="border-top: 1px solid black;"/>				
<b>TOTAL**</b>	<b>15</b>	<b>26</b>	<b>11</b>	<b>19%</b>

*\*Institutionalized patients are those individuals who are incarcerated in federal or state prisons.*

*Provisional Data from the Tuberculosis Information Management System (TIMS) Subject to Change*

*\*\* The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2007 counted cases.*

Bureau of Communicable Disease Control and Prevention  
Section for Disease Control and Environmental Epidemiology  
Division of Community and Public Health  
Missouri Department of Health and Senior Services